



(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 1 / 11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|-------------------------------|--|---|--|--|
| | | Pe | ermanent Facility | | |
| 1 | CHEMICAL- PLASTIC & RESINS | gas pipes | Resistance to Weathering | IS 14885: 2001 | Qualitative |
| 2 | CHEMICAL- PLASTIC & RESINS | raw material, products | HDT | ASTM D 648: 2007 | 40 C to 300 C |
| 3 | CHEMICAL- PLASTIC & RESINS | containers | overall migration | IS 15410: 2003 | 0.001 mg/lit. to 100 mg/lit. |
| 4 | CHEMICAL- PLASTIC & RESINS | emitting pipe | Susceptibility to Environmental Stress Cracking | IS 13488: 2008 | Qualitative |
| 5 | CHEMICAL- PLASTIC & RESINS | film | overall migration | IS 15609: 2005 | 0. 001 mg/dm2 to 100.0 mg/dm2 |
| 6 | CHEMICAL- PLASTIC & RESINS | film | transparancy | IS: 15410: 2003 | 0 % to 100 % |
| 7 | CHEMICAL- PLASTIC & RESINS | fittings | Stress Relief Test | IS 7834(Pt,1,3,6,8): 1987 | Qualitative |
| 8 | CHEMICAL- PLASTIC & RESINS | hdpe pipes | Carbon Black Dispersion | IS 2530: 1963 | Qualitative |
| 9 | CHEMICAL- PLASTIC & RESINS | hdpe pipes, black master batch | Carbon Black Content | IS 2530: 1963 | 0.0 % to 70 % |
| 10 | CHEMICAL- PLASTIC & RESINS | HDPE pipes, packaging films, containers | overall migration | IS 9845: 1998 | 0. 01 mg/lit. to 100 mg/lit. |
| 11 | CHEMICAL- PLASTIC & RESINS | HDPE pipes, sprinkler and raw material | Melt Flow Index | IS 13360: 2000 | 0.001 g/10 minute to 60 g/10 minute |
| 12 | CHEMICAL- PLASTIC & RESINS | HDPE pipes, sprinkler pipe and raw material | Melt Flow Index | IS 2530: 1963 | 0.001 g/10 minute to 50 g/10 minute |
| 13 | CHEMICAL- PLASTIC & RESINS | HDPE Pipes, sprinkler pipes and raw material | Melt Flow Index | ASTM D 1238: 2010 | 0.001 g/10 minute to 50 g/10 minute |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 2/11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|-------------------------------|--|---|--|--|
| 14 | CHEMICAL- PLASTIC & RESINS | lateral pipe | Susceptibility to Environmental Stress Cracking | IS 12786: 1989 | Qualitative |
| 15 | CHEMICAL- PLASTIC & RESINS | pipe | Melt flow index | IS 16098: 2013 | 0.001 g/10 minute to 50 g/10 minute |
| 16 | CHEMICAL- PLASTIC & RESINS | pipe | Resistance to Sulphuric Acid | IS 12235: 2004 | 0.1 to 10.0 |
| 17 | CHEMICAL- PLASTIC & RESINS | PIPE, RAW MATERIAL | OXIDATION INDUCTION TIME | ASTMD 3895: 2007 | 0.1 MINUTES to 400 MINUTES |
| 18 | CHEMICAL- PLASTIC & RESINS | pipes | Sulphated Ash Content | IS 14735: 1999 | 0.001 % to 80.0 % |
| 19 | CHEMICAL- PLASTIC & RESINS | pipes | Sulphated Ash Content | IS 4985: 2000 | 0.001 % to 80.0 % |
| 20 | CHEMICAL- PLASTIC & RESINS | pipes | Vicat Softening Temperature | ASTM D 1525: 2009 | 50.0 °C to 200 °C |
| 21 | CHEMICAL- PLASTIC & RESINS | pipes | Vicat Softening Temperature | IS 15328: 2003 | 50.0 °C to 200 °C |
| 22 | CHEMICAL- PLASTIC & RESINS | pipes | Vicat Softening Temperature | IS 13360 : 1999 | 50.0 °C to 200 °C |
| 23 | CHEMICAL- PLASTIC & RESINS | pipes | Vicat Softening Temperature | IS 12235: 2004 | 50.0 °C to 200 °C |
| 24 | CHEMICAL- PLASTIC & RESINS | pipes | Vicat Softening Temperature | IS 6307: 1985 | 50.0 °C to 200 °C |
| 25 | CHEMICAL- PLASTIC & RESINS | pipes, raw material | oxidation induction time | IS 14885: 2001 | 0. 1 MINUTES to 180 MINUTES |
| 26 | CHEMICAL- PLASTIC & RESINS | pipes, tanks, films, woven sacks, flexible packaging film, | Stress Relief Test | IS 12235(Pt.6): 2004 | Qualitative |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 3/11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|-------------------------------|--------------------------------|--|--|
| 27 | CHEMICAL- PLASTIC & RESINS | RAW MATERIAL, PIPES | CARBON BLACK CONTENT | ASTM D 1603: 2006 | 0. 01 % to 70 % |
| 28 | CHEMICAL- PLASTIC & RESINS | RESINS | CHLORINE CONTENT | IS:15778: 2007 | 0.01 to 80 |
| 29 | CHEMICAL- PLASTIC & RESINS | SWR PIPES | Axial Shrinkage | IS 13592: 2013 | 0.01 % to 50 % |
| 30 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Visual Appearance | IS12818: 2010 | Qualitative |
| 31 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | tanks | Dimension | IS 12701: 1996 | 10 mm to 5000 mm |
| 32 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | C PVC pipe | dimensions | IS 15778: 2007 | 0.0 mm to 600 mm |
| 33 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | container | dimensions | IS 15410: 2003 | 0.0 mm to 600.0 mm |
| 34 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | CPVC pipe | Visual Appearance | IS 15778: 2007 | Qualitative |
| 35 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | emiiter | Uniformity of emission Rate | IS: 13487: 1992 | 0.5 lph to 14 lph |
| 36 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | emitter | Emitter Pull-out | IS : 13487: 1992 | Qualitative |
| 37 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | emitters | Flow Path in Emitter | IS: 13487: 1992 | 0 mm to 8 mm |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 4 / 11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|-------------------------------|---|--|--|
| 38 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | emitters | Visual Appearance | IS 13487: 1992 | Qualitative |
| 39 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Emitting pipe | Dimension | IS 13488: 2008 | 0.0 mm to 600 mm |
| 40 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Emitting pipe | Hydraulic Characteristics(Accept ance & Type) | IS 13488: 2008 | Qualitative |
| 41 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Emitting pipe | Pull-out | IS : 13488: 2008 | Qualitative |
| 42 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Emitting pipe | Spacing of Emitting Unit | IS : 13488: 2008 | 0 mm to 600 mm |
| 43 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | film | Dimension | IS 2508: 1984 | 0.0 mm to 600 mm |
| 44 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | film | Slip/COF | ASTM D 1894: 2014 | 0.05 to 5.0 |
| 45 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | FILM | Trapezoid Tear | IS 14293: 1995 | 1.0 N to 1000 N |
| 46 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | film, tank and pipe | Visual Appearance | IS 13488: 2008 | Qualitative |
| 47 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | fittings | Dimension | IS7834(PART 1,3,6,8): 1987 | 0.0 mm to 600 mm |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 5/11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|-------------------------------|---|--|--|
| 48 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | fittings | Opacity | IS 7834(PART 1,3,8): 1987 | 0.0 % to 100 % |
| 49 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | HDPE material | Specific Gravity/ DENSITY | IS 7328: 2002 | 0.3 g/cc to 0.7 g/cc |
| 50 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | HDPE pipe | Hydraulic Characteristics(Accept ance & Type) | IS 14333:: 1996 | Qualitative |
| 51 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | HDPE pipe | Visual Appearance | IS 14333: 1996 | Qualitative |
| 52 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | non cellular plastic | Specific Gravity/ DENSITY | IS: 13360: 1996 | 0.3 g/cc to 2.2 g/cc |
| 53 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | particle board | Modulus of Rupture | IS : 2380 : 1981 | 0.1 MPa to 4000 MPa |
| 54 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE flexible pouch | dimensions | IS 15609: 2005 | 0.0 mm to 600.0 mm |
| 55 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE flexible pouch | Visual Appearance | IS 2508: 2016 | Qualitative |
| 56 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE pipe | Hydraulic Characteristics(Accept ance & Type) | IS : 14885: 2001 | Qualitative |
| 57 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE pipe | Reversion | IS: 4984: 2016 | 0.0 % to 100 % |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 6/11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|-------------------------------|---|--|--|
| 58 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE pipe | Visual Appearance | IS 12786: 1989 | Qualitative |
| 59 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE pipes | Dimension | IS: 4984: 2016 | 0.0 mm to 600.0 mm |
| 60 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE PIPES | Visual Appearance | IS:4984: 2016 | Qualitative |
| 61 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PE PIPES | Visual Appearance | IS 14885: 2001 | Qualitative |
| 62 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Dimension | IS 12786: 1989 | 0.0 mm to 600 mm |
| 63 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | dimensions | IS 14333: 1996 | 0.0 mm to 600.0 mm |
| 64 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | dimensions | IS14885: 2001 | 0.0 mm to 600.0 mm |
| 65 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | dimensions | IS 4985 : 2000 | 0.0 mm to 600.0 mm |
| 66 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Fusion compatibility test | IS: 14151 (Pt. 1)-: 1999 | Qualitative |
| 67 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Hydraulic Characteristics(Accept ance & Type) | IS 4984: 2016 | Qualitative |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET),

PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2005

Certificate Number TC-8164 Page No.: 7 / 11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|-------------------------------|---|--|--|
| 68 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Hydraulic Characteristics(Accept ance & Type) | IS: 12235: 2004 | Qualitative |
| 69 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Hydraulic Characteristics(Accept ance & Type) | IS 12786: 1989 | Qualitative |
| 70 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Hydraulic Characteristics(Accept ance & Type) | IS 14151(PART 1): 1999 | Qualitative |
| 71 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Resistance to External Blow at 0°C | IS:4985: 2000 | Qualitative |
| 72 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Specific Gravity/ DENSITY | IS 16098 (PART 1 & 2):: 2013 | 0.3 g/cc to 2.2 g/cc |
| 73 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Visual Appearance | IS 15801: 2008 | Qualitative |
| 74 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Visual Appearance | IS 16098(PART 1& 2): 2013 | Qualitative |
| 75 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe fittings | Visual Appearance | IS 7834: 1987 | Qualitative |
| 76 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe | Hydraulic Characteristics(Accept ance & Type) | IS : 14885: 2001 | Qualitative |
| 77 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe, film, raw material | Tensile Strength & Elongation | IS:8543 : 1984 | 0.1 % to 1400 % |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 8 / 11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|--|------------------------------|--|--|
| 78 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipe, fittings | Opacity | IS: 12235: 2004 | 0.0 % to 100 % |
| 79 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipes | Dimension | IS 14151(PART 1): 1999 | 0 mm to 600.0 mm |
| 80 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pipes | dimensions | IS 16098(PART 1& 2): 2013 | 0.0 mm to 600.0 mm |
| 81 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Pipes & fittings | dimensions | IS 12235: 2004 | 0.0 mm to 600.0 mm |
| 82 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Plastics | Flexural Modulus | IS : 13360: 1996 | 0.1 MPa to 2000 MPa |
| 83 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Plastics | Izod impact strength | IS 13360(Pt 5/Sec IV):: 1996 | 1.0 J/m to 2000 J/m |
| 84 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Plastics | Izod impact strength | ASTM D 256: 2010 | 1 j/m to 2000 J/m |
| 85 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Plastics | Specific Gravity/ DENSITY | ASTM D 792: 2013 | 0.3 g/cc to 2.2 g/cc |
| 86 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PP random copolymer pipe | dimensions | IS 15801: 2008 | 0 mm to 600.0 mm |
| 87 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | pvc pipes, lateral pipe, sprinkler pipe | Reversion | IS: 12235: 2004 | 0.0 % to 30 % |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 9/11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|-------------------------------|---|--|--|
| 88 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | PVC U pipe | Visual Appearance | IS 15328: 2003 | Qualitative |
| 89 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | raw material | Charpy impact strength | IS 13360 (Pt/Sec V):1996 Reaffirmed: 2003 | 1.0 KJ/m² to 700 KJ/m² |
| 90 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | raw material, sheet | Flexural Modulus | ASTM D 790: 2017 | 0.1 MPa to 2000 MPa |
| 91 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Rigid Plastic | Compressive strength of rigid plastics | ASTM D 695: 2015 | 5 MPa to 5000 MPa |
| 92 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Rubber | Hardness (Shore –A) | IS 3400(Pt 2): 2003 | 20 to 90 |
| 93 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Rubber , Plastic | Hardness (Shore –A & D) | ASTM D 2240: 2015 | 20 to 90 |
| 94 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | sheet | Charpy impact strength | ASTM D-6110: 2010 | 1.0 KJ/m2 to 700 KJ/m2 |
| 95 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | socket fitting PVC | Hydraulic Characteristics(Accept ance & Type) | IS 7834(PART1,3,6,8):: 1987 | Qualitative |
| 96 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Sprinkler pipe | Leakage Test | IS: 14151 (Pt. 2)-: 2008 | Qualitative |
| 97 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | sprinkler pipe | Visual Appearance | IS 14151(PART1): 1999 | Qualitative |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET),

PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA

Accreditation Standard ISO/IEC 17025:2005

Certificate Number TC-8164 Page No.: 10 / 11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|---|--|----------------------------|--|--|
| 98 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Sprinkler pipe | Weldability test | IS: 14151 (Pt. 2)-: 2008 | Qualitative |
| 99 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | Sprinklet pipe | Hydraulic Proof Test | IS: 14151 (Pt. 2)-: 2008 | Qualitative |
| 100 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | tank | Visual Appearance | IS 12701: 1996 | Qualitative |
| 101 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | tank, pipe | dimensions | IS 15328: 2003 | 0.0 mm to 600.0 mm |
| 102 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | U PVC pipe | Effect of Sunlight | IS:13592: 2013 | Qualitative |
| 103 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | UPVC pipe | Visual Appearance | IS 13592: 2013 | Qualitative |
| 104 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | UPVC pipe | Water Tightness of Joint | IS:13592: 1992 | Qualitative |
| 105 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | UPVC pipe fittings | Dimension | IS14735: 1999 | 0.0 mm to 600 mm |
| 106 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | UPVC PIPES | Visual Appearance | 4985: 2000 | Qualitative |
| 107 | MECHANICAL- PLASTICS AND PLASTIC PRODUCTS | UPVC pipes for soil & discharge system | Dimension | IS 13592: 2013 | 0.0 mm to 600 mm |





(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY (CIPET), PLOT NO.630, PHASE- IV, AHMEDABAD, GUJARAT, INDIA **Laboratory Name**

ISO/IEC 17025:2005 **Accreditation Standard**

TC-8164 Certificate Number Page No.: 11 / 11

| S.No | Discipline / Group | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing/ Limits of Detection |
|------|----------------------------------|-------------------------------|---|--|--|
| 108 | MECHANICAL- TEXTILE MATERIALS | tarpaulins | dimensions | IS:7903: 2017 | 10 mm to 5000.0 mm |
| 109 | MECHANICAL- TEXTILE MATERIALS | vermibed | dimensions | is15907: 2010 | 10.0 to 5000.0 mm |
| 110 | MECHANICAL- TEXTILE MATERIALS | WOVEN SACK | BREAKING STRENGTH | IS:11652: 2000 | 50.0 to 2000.0 |
| 111 | MECHANICAL- TEXTILE MATERIALS | WOVEN SACK | BREAKING STRENGTH AFTER AND BEFORE UV | IS:14887: 2000 | 50.0 N to 2000.0 N |
| 112 | MECHANICAL- TEXTILE MATERIALS | WOVEN SACK | DIMENSION | IS: 9755: 2016 | 10.0 MM to 5000.0 |
| 113 | MECHANICAL- TEXTILE MATERIALS | WOVEN SACK | DIMENSIONS | IS:16208: 2015 | 10.0 to 5000.0 MM |
| 114 | MECHANICAL- TEXTILE MATERIALS | WOVEN SACK | DIMENSIONS | IS:11652: 2000 | 10 to 5000 |
| 115 | MECHANICAL- TEXTILE MATERIALS | WOVEN SACK | DIMENSIONS | IS:14887: 2000 | 10.0 to 5000.0 |